

FIG. 1


CPU
62
MEMORY
FRAME BUFFER
64
68
60
66
BUS INTERFACE
FRAME BUFFER
68
70
2
RASTER ENGINE
DISPLAY DEVICE
72

FIG. 2A


FRAME BUFFER
68
DAT(31:0)
FIFO
16
32
Dual
Port
RAM
64
33
18
Pixel
MUX
24
Compare
and
Register
Logic
4
2
DISPLAY DEVICE
72

FIG. 2B


30
106
LFSR
CONTROL SIGNALS
108
112
PARALLEL DATA
110
SIGNATURE DATA
114
VIDEO OUTPUT
SIGNATURE RESULT
REGISTER
CONTROL REGISTERS
100
116
VIDEO DATA
DATA BUS
104
ADDRESS BUS
102

FIG. 3


Input1
Input17
Input2
Input18
Input3
Input19
Input10
Input16
D Q
0
1
2
3
118
Input5
Input21
Input6
Input22
Input7
Input23
Input4
Input20
4
5
6
7
Input9
HSYNC
Input10
BLANK
Input11
CLKEN
Input8
VSYNC
8
9
10
11
Input13
SPCLK
Input14
Input15
Input12
BRIGHT
12
13
14
15
106
VCLK

FIG. 4



FIG. 5


31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16
RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD RSVD
15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0
SIG VAL
SIGVAL
130

FIG. 6A

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
EN	RSVD	SPCLK	BRIGHT	CLKEN	BLANK	HSYNC	VSYNC	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN	PEN

SIGCTL

132

FIG. 6B

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	STOP 10	STOP 9	STOP 8	STOP 7	STOP 6	STOP 5	STOP 4	STOP 3	STOP 2	STOP 1	STOP 0

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	START 10	START 9	START 8	START 7	START 6	START 5	START 4	START 3	START 2	START 1	START 0

VSIGSTRTSTOP

134

FIG. 6C

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	STOP 10	STOP 9	STOP 8	STOP 7	STOP 6	STOP 5	STOP 4	STOP 3	STOP 2	STOP 1	STOP 0

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	START 10	START 9	START 8	START 7	START 6	START 5	START 4	START 3	START 2	START 1	START 0

HSIGSTRTSTOP

136

FIG. 6D

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	VCLR 10	VCLR 9	VCLR 8	VCLR 7	VCLR 6	VCLR 5	VCLR 4	VCLR 3	VCLR 2	VCLR 1	VCLR 0

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	HCLR 10	HCLR 9	HCLR 8	HCLR 7	HCLR 6	HCLR 5	HCLR 4	HCLR 3	HCLR 2	HCLR 1	HCLR 0

SIGCLR

138

FIG. 6E



FIG. 7A



FIG. 7B


168
Cursor
Image
166
170
172

FIG. 8A


160
166
Cursor
Image
166
Upper Half of Screen
164
160A
166
Cursor
Image
Lower Half of Screen
162

FIG. 8B


166
168
166B
Cursor
Image
160A
166A
170B
170A
172

FIG. 9A


160
164
Upper Half of Screen
168
166B
166
Cursor
Image
160A
166A
Lower Half of Screen
162

FIG. 9B


180
BEGIN
182
186
CURSOR IMAGE IN FIRST DISPLAY PORTION?
NO
YES
188
OVERLAY CURSOR IMAGE ONTO FIRST DISPLAY PORTION
190
OVERLAY CURSOR IMAGE ONTO SECOND DISPLAY PORTION
CURSOR IMAGE CROSSES BOUNDARY?
184
NO
YES
DETERMINE CURSOR FIRST PORTION AND CURSOR SECOND PORTION
192
OVERLAY CURSOR FIRST PORTION ONTO FIRST DISPLAY PORTION
194
OVERLAY CURSOR SECOND PORTION ONTO SECOND DISPLAY PORTION
196
198
END

FIG. 10



200

FIG. 11A



202

FIG. 11B

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
DLNS5	DLNS4	DLNS3	DLNS2	DLNS1	DLNS0	CSTEP 1	CSTEP 0	CLINS5	CLINS4	CLINS3	CLINS2	CLINS1	CLINS0	CWID1	CWID0

CURSORSIZE

204

FIG. 11C

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR	COLOR

CURSORCOLOR1
CURSORCOLOR2
CURSORBLINK1
CURSORBLINK2

206

FIG. 11D

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	YLOC 10	YLOC 9	YLOC 8	YLOC 7	YLOC 6	YLOC 5	YLOC 4	YLOC 3	YLOC 2	YLOC 1	YLOC 0

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
CEN	RSVD	RSVD	RSVD	RSVD	XLOC 10	XLOC 9	XLOC 8	XLOC 7	XLOC 6	XLOC 5	XLOC 4	XLOC 3	XLOC 2	XLOC 1	XLOC 0

CURSORXYLOC

208

FIG. 11E

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
CLHEN	RSVD	RSVD	RSVD	RSVD	YLOC 10	YLOC 9	YLOC 8	YLOC 7	YLOC 6	YLOC 5	YLOC 4	YLOC 3	YLOC 2	YLOC 1	YLOC 0

CURSOR_DHSCAN_LH_YLOC

210

FIG. 11F

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	EN	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE

CURSORBLINK

212

FIG. 11G


8
10
12
2
64
Pixel MUX
24
Blink Logic
8
256x24 SRAM Look Up Table
3
Gray Scale Gen
From Dual Port RAM
18
24
YCrCb Encoder
26
40
20
104
24
Color MUX
MUX
42
P(23:0)
PELEN
CCIREN
24
Pixel Shifting Logic
S/PCLK
44
PCLKEN
102
22
24
CONTROL REGISTERS
DAC
4
6
From CURSOR LINE BUFFER

FIG. 12

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	DSCA	C3	C2	C1	C0	M3	M2	M1	M0	S2	S1	S0	P2	P1	P0

PIXELMODE

230

FIG. 13A

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RD	DAT	DAT	DAT	DAT	DAT	DAT	DAT	DAT

PARLLIFOUT

232

FIG. 13B

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	ESTR T3	ESTR T2	ESTR T1	ESTR T0	CNT3	CNT2	CNT1	CNT0

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	DAT	DAT	DAT	DAT	DAT	DAT	DAT	DAT

PARLLIFIN

234

FIG. 13C

236

shift mode	color mode	output mode	P(23) ***	P(22) ***	P(21) ***	P(20) ***	P(19) ***	P(18) ***	P(17)	P(16)	P(15)	P(14)	P(13) ****	P(12)	P(11)	P(10)	P(9) ****	P(8)	P(7)	P(6)	P(5) ****	P(4)	P(3)	P(2)	P(1) ****	P(0)
0x0	0x0 0x4 0x8	single pixel per clock up to 24 bits wide	P(23) R(7)	P(22) R(6)	P(21) R(5)	P(20) R(4)	P(19) R(3)	P(18) R(2)	P(17) R(1)	P(16) R(0)	P(15) G(7)	P(14) G(6)	P(13) G(5)	P(12) G(4)	P(11) G(3)	P(10) G(2)	P(9) G(1)	P(8) G(0)	P(7) B(7)	P(6) B(6)	P(5) B(5)	P(4) B(4)	P(3) B(3)	P(2) B(2)	P(1) B(1)	P(0) B(0)
0x0	0x5	single 16-bit 565 pixel per clock	R(4)	R(3)	R(2)	R(1)	R(0)	R(4)	R(3)	R(2)	G(5)	G(4)	G(3)	G(2)	G(1)	G(0)	G(5)	G(4)	B(4)	B(3)	B(2)	B(1)	B(0)	B(4)	B(3)	B(2)
0x0	0x6	single 16-bit 555 pixel per clock	R(4)	R(3)	R(2)	R(1)	R(0)	R(4)	R(3)	R(2)	G(4)	G(3)	G(2)	G(1)	G(0)	G(4)	G(3)	G(2)	B(4)	B(3)	B(2)	B(1)	B(0)	B(4)	B(3)	P(2)
0x1	0x0 0x4 0x8	single 24 bit pixel on 18 lines	X	X	X	X	X	X	R(7)	R(6)	R(5)	R(4)	R(3)	R(2)	G(7)	G(6)	G(5)	G(4)	G(3)	G(2)	B(7)	B(6)	B(5)	B(4)	B(3)	B(2)
0x1	0x5	single 16-bit 565 pixel on 18 lines	X	X	X	X	X	X	R(4)	R(3)	R(2)	R(1)	R(0)	R(4)	G(5)	G(4)	G(3)	G(2)	G(1)	G(0)	B(4)	B(3)	B(2)	B(1)	B(0)	B(4)
0x1	0x6	single 16-bit 555 pixel on 18 lines	X	X	X	X	X	X	R(4)	R(3)	R(2)	R(1)	R(0)	R(4)	G(4)	G(3)	G(2)	G(1)	G(0)	G(4)	B(4)	B(3)	B(2)	B(1)	B(0)	B(4)
0x2	0x0 0x8	progressive scan 2 pixels per shift clock dual scan	P1(20) R1(4) *	P1(12) G1(4) *	P1(4) B1(4) *	P0(20) R0(4) *	P0(12) G0(4) *	P0(4) B0(4) *	P1(23) R1(7)	P1(22) G1(6)	P1(21) G1(5)	P1(15) G1(7)	P1(14) G1(6)	P1(13) G1(5)	P1(7) B1(7)	P1(6) B1(6)	P1(5) B1(5)	P0(23) R0(7)	P0(22) R0(6)	P0(21) R0(5)	P0(15) G0(7)	P0(14) G0(6)	P0(13) G0(5)	P0(7) B0(7)	P0(6) B0(6)	P0(5) B0(5)
			Lower P(20) R(4) *	Lower P(12) G(4) *	Lower P(4) B(4) *	Upper P(20) R(4) *	Upper P(12) G(4) *	Upper P(4) B(4) *	Lower P(23) R(7)	Lower P(22) R(6)	Lower P(21) R(5)	Lower P(15) G(7)	Lower P(14) G(6)	Lower P(13) G(5)	Lower P(7) B(7)	Lower P(6) B(6)	Lower P(5) B(5)	Upper P(23) R(7)	Upper P(22) R(6)	Upper P(21) R(5)	Upper P(15) G(7)	Upper P(14) G(6)	Upper P(13) G(5)	Upper P(7) B(7)	Upper P(6) B(6)	Upper P(5) B(5)
0x3	0x0 0x8	progressive scan 4 pixels per shift clock dual scan	P3(14) G3(6) *	P3(6) B3(6) *	P2(14) B2(6) *	P2(6) B2(6) *	P1(14) G1(6) *	P1(6) B1(6) *	P0(14) G0(6) *	P0(6) B0(6) *	P3(23) R3(7)	P3(22) R3(6) *	P3(15) G3(7)	P3(7) B3(7)	P2(23) R2(7)	P2(22) R2(6) *	P2(15) G2(7)	P2(7) B2(7)	P1(23) R1(7)	P1(22) R1(6) *	P1(15) G1(7)	P1(7) B1(7)	P0(23) R0(7)	P0(22) R0(6) *	P0(15) G0(7)	P0(7) B0(7)
			Lower P1(14) G1(6) *	Lower P1(6) B1(6) *	Upper P1(14) G1(6) *	Upper P1(6) B1(6) *	Lower P0(14) G0(6) *	Lower P0(6) B0(6) *	Upper P0(14) G0(6) *	Upper P0(6) B0(6) *	Lower P1(23) R1(7)	Lower P1(22) R1(6) *	Lower P1(15) G1(7)	Lower P1(7) B1(7)	Upper P1(23) R1(7)	Upper P1(22) R1(6) *	Upper P1(15) G1(7)	Upper P1(7) B1(7)	Lower P0(23) R0(7)	Lower P0(22) R0(6) *	Lower P0(15) G0(7)	Lower P0(7) B0(7)	Upper P0(23) R0(7)	Upper P0(22) R0(6) *	Upper P0(15) G0(7)	Upper P0(7) B0(7)

FIG. 14A

236

0x4	0x0 0x8	progressive scan 8 pixels per shift clock dual scan	P7(23) R7 *	P6(23) R6 *	P5(23) R5 *	P4(23) R4 *	P3(23) R3 *	P2(23) R2 *	P1(23) R1 *	P0(23) R0 *	P7(15) G7 *	P7(7) B7 *	P6(15) G6 *	P6(7) B6 *	P5(15) G5 *	P5(7) B5 *	P4(15) G4 *	P4(7) B4 *	P3(15) G3 *	P3(7) B3 *	P2(15) G2 *	P2(7) B2 *	P1(15) G1 *	P1(7) B1 *	P0(15) G0 *	P0(7) B0 *
			Lower P3(23) R3 *	Upper P3(23) R3 *	Lower P2(23) R2 *	Upper P2(23) R2 *	Lower P1(23) R1 *	Upper P1(23) R1 *	Lower P0(23) R0 *	Upper P0(23) R0 *	Lower P3(15) G3 *	Lower P3(7) B3 *	Upper P3(15) G3 *	Upper P3(7) B3 *	Lower P2(15) G2 *	Lower P2(7) B2 *	Upper P2(15) G2 *	Upper P2(7) B2 *	Lower P1(15) G1 *	Lower P1(7) B1 *	Upper P1(15) G1 *	Upper P1(7) B1 *	Lower P0(15) G0 *	Lower P0(7) B0 *	Upper P0(15) G0 *	Upper P0(7) B *
0x5	0x0 0x8	2 2/3 pixels per clock	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	G2	B2	R1	G1	B1	R0	G0	B0
			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	B5	R4	G4	B4	R3	G3	B3	R2
			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	R7	G7	B7	R6	G6	B6	R5	G5
0x6	0x0 0x8	Dual 2 2/3 pixels per clock	X	X	X	X	X	X	X	X	L G2	L B2	L R1	L G1	L B1	L R0	L G0	L B0	U G2	U B2	U R1	U G1	U B1	U R0	U G0	U B0
			X	X	X	X	X	X	X	X	L B5	L R4	L G4	L B4	L R3	L G3	L B3	L R2	U B5	U R4	U G4	U B4	U R3	U G3	U B3	U R2
			X	X	X	X	X	X	X	X	L R7	L G7	L B7	L R6	L G6	L B6	L R5	L G5	U R7	U G7	U B7	U R6	U G6	U B6	U R5	U G5
**	**	CCIREN subs	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	D(7)	D(6)	D(5)	D(4)	D(3)	D(2)	D(1)	D(0)
**	**	LCDEN subs	**	**	**	**	**	**	**	XECL	YSCL	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
**	**	ACEN subs	**	**	**	**	**	**	AC	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**

* These bits are an ORed combination of the bit value shown and the next significant bit below (This rounds the color value to nearest color).
** These bits do not get a substitute and are defined to the values controlled by the pixel output mode in the upper part of the table.
*** These bits are pinned out in certain variants only.
**** Set PIXELMODE.P13951 high to use these pins as outputs.

FIG. 14B


8
24
Blink
Logic
8
To Look Up Table
From Pixel MUX
To Color MUX
4
CONTROL
REGISTERS
102
104

FIG. 15

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE

BLINKRATE

250

FIG. 16A

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK	MASK

BLINKMASK

252

FIG. 16B



FIG. 16C



FIG. 16D

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF	BGOFF

BG_OFFSET

258

FIG. 16E


From Look Up Table
3
Gray Scale Gen
To Color MUX
12
4
CONTROL REGISTERS
102
104

FIG. 17


COUNTER FRAME_CNT3
COUNTER FRAME_CNT4
COUNTER VERT_CNT3
COUNTER VERT_CNT4
COUNTER HORZ_CNT3
COUNTER HORZ_CNT4
270
272
274
276
278
280
12

FIG. 18

31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16
RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	RSVD	FRAME	VERT	HORZ

15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0

GRAYSCALE LUT

282

FIG. 19

F,V,H def	FRAME	Vert	Horz	VCNT (lines)	11	11	11	11	10	10	10	10	01	01	01	01	00	00	00	00	GSLUT Address *4	
for pixel	Ctr	Ctr	Ctr	HCNT (pixels)	11	10	01	00	11	10	01	00	11	10	01	00	11	10	01	00	FRAME	Pixel
in value				register address																		Value
000	D18	D17	D16	base + 0x80	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	000
001	D18	D17	D16	base + 0x84	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	001
010	D18	D17	D16	base + 0x88	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	010
011	D18	D17	D16	base + 0x8C	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	011
100	D18	D17	D16	base + 0x90	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	100
101	D18	D17	D16	base + 0x94	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	101
110	D18	D17	D16	base + 0x98	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	110
111	D18	D17	D16	base + 0x9C	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	00	111
	X	X	X	base + 0xA0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	000
	X	X	X	base + 0xA4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	001
	X	X	X	base + 0xA8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	010
	X	X	X	base + 0xAC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	011
	X	X	X	base + 0xB0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	100
	X	X	X	base + 0xB4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	101
	X	X	X	base + 0xB8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	110
	X	X	X	base + 0xBC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	01	111
	X	X	X	base + 0xC0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	000
	X	X	X	base + 0xC4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	001
	X	X	X	base + 0xC8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	010
	X	X	X	base + 0xCC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	011
	X	X	X	base + 0xD0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	100
	X	X	X	base + 0xD4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	101
	X	X	X	base + 0xD8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	110
	X	X	X	base + 0xDC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	10	111
	X	X	X	base + 0xE0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	000
	X	X	X	base + 0xE4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	001
	X	X	X	base + 0xE8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	010
	X	X	X	base + 0xEC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	011
	X	X	X	base + 0xF0	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	100
	X	X	X	base + 0xF4	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	101
	X	X	X	base + 0xF8	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	110
	X	X	X	base + 0xFC	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0	11	111

300

FIG. 20

FRAME	Vert	Horz	VCNT (lines)	11	11	11	11	10	10	10	10	01	01	01	01	00	00	00	00	GSLUT Address *4	
Ctr	Ctr	Ctr	HCNT (pixels)	11	10	01	00	11	10	01	00	11	10	01	00	11	10	01	00	FRAME	Pixel
D18	D17	D16	register address	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0		Value
X	X	X	base + 0x80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	00	000
			base + 0xA0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	01	000
			base + 0xC0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	000
			base + 0xE0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	000
X	X	X	base + 0x9C	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	00	111
			base + 0xBC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	01	111
			base + 0xDC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	111
			base + 0xFC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	111

302

FIG. 21

304

FRAME 0

	H	O	R	Z
V	1	1	1	1
E	1	1	1	1
R	1	1	1	1
T	1	1	1	1

FRAME 1

0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

FRAME 2

1	1	1	1
1	1	1	1
1	1	1	1
1	1	1	1

FRAME 3

0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

FIG. 22

306 →

FRAME 0

	H	O	R	Z
V	1	0	1	0
E	1	0	1	0
R	1	0	1	0
T	1	0	1	0

FRAME 1

0	1	0	1
0	1	0	1
0	1	0	1
0	1	0	1

FRAME 2

1	0	1	0
1	0	1	0
1	0	1	0
1	0	1	0

FRAME 3

0	1	0	1
0	1	0	1
0	1	0	1
0	1	0	1

FIG. 23


308
H O R Z
FRAME 0
V
E
R
T
1 1 0 0
1 0 1 0
0 0 1 1
1 0 1 0
FRAME 1
0 0 1 1
0 1 0 1
1 1 0 0
0 1 0 1
FRAME 2
1 0 1 0
1 1 0 0
1 0 1 0
0 0 1 1
FRAME 3
0 1 0 1
0 0 1 1
0 1 0 1
1 1 0 0

FIG. 24

FRAME	Vert	Horz	VCNT (lines)	11	11	11	11	10	10	10	10	01	01	01	01	00	00	00	00	GSLUT Address *4	
Ctr	Ctr	Ctr	HCNT (pixels)	11	10	01	00	11	10	01	00	11	10	01	00	11	10	01	00	FRAME	Pixel
D18	D17	D16	register address	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0		Value
1	1	1	base + 0x8C	0	1	0	1	1	1	0	0	0	1	0	1	0	0	1	1	00	011
			base + 0xAC	1	0	1	0	0	0	1	1	1	0	1	0	1	1	0	0	01	011
			base + 0xCC	1	1	0	0	0	1	0	1	0	0	1	1	0	1	0	1	10	011
			base + 0xEC	0	0	1	1	1	0	1	0	1	1	0	0	1	0	1	0	11	011

310

FIG. 25

312

FRAME 0

	H	O	R	Z
V	1	0	0	
E	0	1	0	
R	0	0	1	
T				

FRAME 1

0	1	0
0	0	1
1	0	0

FRAME 2

0	0	1
1	0	0
0	1	0

FIG. 26


314
H O R Z
FRAME 0
V
E
R
T
1 0 0
0 0 1
0 1 0
FRAME 1
0 1 0
0 1 0
0 0 1
FRAME 2
0 0 1
1 0 0
1 0 0

FIG. 27

FRAME	Vert	Horz	VCNT (lines)	11	11	11	11	10	10	10	10	01	01	01	01	00	00	00	00	GSLUT Address *4	
Ctr	Ctr	Ctr	HCNT (pixels)	11	10	01	00	11	10	01	00	11	10	01	00	11	10	01	00	FRAME	Pixel
D18	D17	D16	register address	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0		Value
0	0	0	base + 0x88	x	x	x	x	x	0	1	0	x	1	0	0	x	0	0	1	00	010
			base + 0xA8	x	x	x	x	x	1	0	0	x	0	1	0	x	0	1	0	01	010
			base + 0xC8	x	x	x	x	x	0	0	1	x	0	0	1	x	1	0	0	10	010
			base + 0xE8	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	11	010

316

FIG. 28

318

FRAME 0

	H	O	R	Z
V	1	0	0	0
E	0	0	1	1
R	0	1	0	0
T				

FRAME 1

0	1	0	0
0	1	0	0
0	0	1	1

FRAME 2

0	0	1	1
1	0	0	1
1	0	0	0

FIG. 29

FRAME	Vert	Horz	VCNT (lines)	11	11	11	11	10	10	10	10	01	01	01	01	00	00	00	00	GSLUT Address *4	
Ctr	Ctr	Ctr	HCNT (pixels)	11	10	01	00	11	10	01	00	11	10	01	00	11	10	01	00	FRAME	Pixel
D18	D17	D16	register address	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3	D2	D1	D0		Value
0	0	0	base + 0x88	x	x	x	x	0	0	1	0	1	1	0	0	0	0	0	1	00	010
			base + 0xA8	x	x	x	x	1	1	0	0	0	0	1	0	0	0	1	0	01	010
			base + 0xC8	x	x	x	x	0	0	0	1	1	0	0	1	1	1	0	0	10	010
			base + 0xE8	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	11	010

320

FIG. 30

Display Type	Horizontal Resolution x Vertical Resolution	Video Clock frequency (MHz)	Frame Buffer Storage format	Display Data format	pixels per shift clock	Pixel Shift Clock frequency (MHz)	Vertical Frame Rate (Hz)
VFD	128 x 32	2	4 bpp	monochrome	8	0.25	400
LCD	128 x 64	2	4 bpp	monochrome	4	0.5	230
LCD	256 x 128	2	4 bpp	monochrome	4	0.5	60
"QVGA" TFT LCD	320 x 234	6.4	8 bpp	analog	1	6.4	80
QVGA STN LCD	320 x 240	4	4 bit RGB	4 bit RGB	1	4	50
HVGA STN LCD	640 x 240	8	4 bit RGB	4 bit RGB	1	8	50
"VGA" DC Plasma	640 x 400	16	4 bpp	monochrome	4	4	60
VGA EL	640 x 480	24	4 or 8 bpp	grayscale	8	3	75
VGA STN LCD	640 x 480	24	8 or 16 bpp	18 bit RGB	1	24	75
VGATFT LCD	640 x 480	24	8, 16, or 24 bpp	18 bit RGB	1	24	75
VGA CRT	640 x 480	25.175	8, 16, or 24 bpp	analog	1	NA	70
VGA CRT	640 x 480	32	8, 16, or 24 bpp	analog	1	NA	85
SVGA TFT LCD	800 x 600	40	8, 16, or 24 bpp	18 bit RGB	1	40	80
SVGA CRT	800 x 600	50	8, 16, or 24 bpp	analog	1	NA	85
XGA TFT LCD	1024 x 768	60	8, 16, or 24 bpp	18 bit RGB	2	30	72
XGA CRT	1024 x 768	75	8, 16, or 24 bpp	analog	1	NA	80
SXGA TFT LCD	1280 x 1024	85	8, 16, or 24 bpp	18 or 24 bit RGB	1	85	60
SXGA CRT	1280 x 1024	110	8, 16, or 24 bpp	analog	1	NA	70
SXGAW TFT LCD	1400 x 1024	90	8, 16, or 24 bpp	18 or 24 bit RGB	1	90	60
SXGA+ TFT LCD	1400 x 1050	110	8, 16, or 24 bpp	18 or 24 bit RGB	1	110	70
UXGA TFT LCD	1600 x 1200	135	8, 16, or 24 bpp	18 or 24 bit RGB	1	135	65
UXGA CRT	1600 x 1200	135	8, 16, or 24 bpp	analog	1	NA	60
UXGAW TFT LCD	1900 x 1200	135	8, 16, or 24 bpp	18 or 24 bit RGB	1	135	60
HDTV-2 LCD	1280 x 720	50	8, 16, or 24 bpp	24 bit RGB	1	50	50
HDTV-2 CRT	1280 x 720	66	8, 16, or 24 bpp	analog	1	NA	60
HDTV-4 LCD	1920 x 1080	135	8, 16, or 24 bpp	24 bit RGB	1	135	60
HDTV-4 CRT	1920 x 1080	135	8, 16, or 24 bpp	analog	1	NA	55
QXGA LCD	2048 x 1536	135	4 bpp	monochrome	8	16.875	40
QSXGA LCD	2560 x 2048	135	4 bpp	monochrome	8	16.875	24
QUXGA LCD	3200 x 2400	135	4 bpp	monochrome	8	16.875	17

350

FIG. 31



FIG. 32